



# ARMS Mobile Admin Workbook

---

## Contents

- 1.0 Department Information ..... 2
- 1.1 Case Setup..... 4
- 1.2 CAD Setup ..... 5
- 2.0 Code list..... 8
- 3.0 Find and Replace Code List ..... 11
- 4.0 Crime/Incident Codes ..... 12
- 5.0 Geo Files..... 17
- 6.0 Employee ..... 23
- 7.0 User Access ..... 25
- 8.0 Cloning ..... 27
- 9.0 Officer Activity ..... 30
- 10.0 CAD Unit Type ..... 31
- 11.0 CAD Units ..... 32
- 12.0 Dictionaries Synchronization ..... 33

# 1.0 Department Information

The Department Information of the System Default section is where ARMS keeps the basic information about your department. You can modify all this information if any is incorrect. The fields ARMS keeps record of are the Name of your business or school, your department, your Chief, who prepared your UCR, your business or school’s Address, City, State, and Zip Code, Phone and Fax number, County, ORI Number, any Other Agency Number, your Department’s Abbreviation, your City Population, a Department E-mail, your Department’s Web Page and a Mailing Address.

Home / Setup Print Cancel Save

### Department Info

General **Department Info**

License		Name	Department	Chief	UCR Prepared By	Address	City
Case Setup		UNIVERSITY OF ENDZEND	UPD	CHIEF ENDZEND		207 REBEL DR	UNIVERSITY
CAD Setup		State	Zip	Phone	FAX	County	ORI #
Arrests		MS - MISSISSIPPI	38677	800-776-6783	662-513-0922	0123 - LAFAYETTE	MS0010011
Property/Evidence		Other Agency #	Dept. Abbreviation	City Population	E-Mail	Web Page	Google Maps api key
Misc.		UPD	13500		WWW.ARMS.COM		

You can also add a Department Badge.

## Department Info



You can add an image or change it by clicking on the image area and selecting the edit icon or delete icon. You can then add your desired image from the file explorer.



Home / Setup

## Department Info

### General

- License
- Case Setup
- CAD Setup
- Arrests
- Property/Evidence
- Misc.


### Department Info



### Mailing Address

Address

207 REBEL DR



This badge, along with the Name of your business or school and your Department will show up at the top of any report you print from ARMS.



# 1.1 Case Setup

The Case Setup of the System Default section is where you can choose how your case numbers are set up and display. The Current Case Number will be the last case number put into the ARMS system and the Assign Starting Case Number is the number that will be given to the next case put into the ARMS system. The Can Edit Case Number in CAD Issue Report window allows a dispatcher to change the number of the next number given to a case in the system. The Not Auto Assign Nbr makes it so the officers put in the case numbers manually and they are not auto-assign.

Home / Setup

### Department Info

General	Number Settings	
License	Current Case Number	Assign Starting Case Number
<b>Case Setup</b>	<input type="text" value="18"/>	<input type="text" value="19"/>
CAD Setup	<input checked="" type="checkbox"/> Auto Assing Number	
Arrests	<input type="checkbox"/> Print Synopsis in Narrative Default	
Property/Evidence		

The Case Number formatting is how you choose how you would like to display your case reports. This format mixed with the Current Case Number will give you the full Current Case Number, so for this ARMS the Current Case Number would be 19-0001.

### Number Formatting

<input type="radio"/> YXXXXX	<b>Example</b> <input type="text" value="19-0001"/> <b>YY</b> = Last two digits of Year <b>YYYY</b> = Last four digits of Year <b>MM</b> = Month, two digits <b>XXXXX</b> = Case Number digits
<input type="radio"/> YY-XXXX	
<input type="radio"/> YYYYXXXX	
<input type="radio"/> YYYY-XXXX	
<input type="radio"/> YYMMXXXX	
<input type="radio"/> YMM-XXXX	
<input type="radio"/> YYYYMMXXXX	
<input type="radio"/> YYYYMM-XXXX	
<input checked="" type="radio"/> YY-XXXX	
<input type="radio"/> YXXXX	



# 1.2 CAD Setup

The CAD Setup of the System Default section is where you can setup certain settings for your Computer Aided Dispatch. Call Priority sort lets you choose whether the calls in the Open Calls List are ordered from top to bottom by high to low priority or low to high. The priority of the crime code is setup in the Crime/Incident section. The Location History is to determine how many calls that are related to a location you would like to see in the location history of CAD. The lower the number, the quicker the search will pull up the information. The CAD Refresh is the rate at which CAD refreshes with the database, we recommend keeping the refresh rate at 5 seconds. The President Rept and Chief's Rept checkboxes are legacy features and no longer do anything.

Home / Setup Print Cancel Save

### Department Info

- General
- License
- Case Setup
- CAD Setup**
- Arrests
- Property/Evidence
- Misc.

#### Number Settings

Current CAD Number	Assign Starting CAD Number	Assign Default Received Via
<input type="text" value="45"/>	<input type="text" value="46"/>	<input type="text" value="911 - 911 CALL"/>

#### Misc Settings

Call Priority Sort

- Location History
- CAD Refresh
- Is President Report Enabled
- Is Chief's Report Enabled
- Advanced CAD

The CAD Number Setup is similar to the Case Number Setup, the Current CAD Number will be the last CAD event number put into the ARMS system and the Assign Starting CAD Number is the number that will be given to the next CAD event put into the ARMS system. The Assign Default Rec'd Via chooses the code that automatically is chosen as the Rec'd Via when a call is started. This will also be the Rec'd Via for any CAD events initiated in ARMS Mobile.

### Miscellaneous

The Misc. tab of Dept Information allows users to manage a few miscellaneous features of the ARMS System. To access it, click on the Misc. tab on the setup page in system defaults.

Home / Setup

### Department Info

- General
- License
- Case Setup
- CAD Setup
- Arrests
- Property/Evidence
- Misc.**



### Auto Reset Numbers

Every New Year, Case, CAD, Arrest, and Event Tracker numbers will need to roll over to the next year. This portion of the Misc. tab allows you to configure the numbers to auto-reset on a monthly or yearly basis by checking which rollover option you like. You can also select to never roll over numbers, but this is not recommended as having separate prefixes for years is helpful for administrative purposes and organization. For example, a report issued December 31<sup>st</sup>, 2016 will be number 16-0454 but one issued January 1<sup>st</sup>, 2017 will be 17-0001.

#### Auto Reset Numbers

Case	CAD
YEARLY	YEARLY
Arrest	Event Tracker
YEARLY	YEARLY

### Access to Racial Profiling Window

This section does just what it says on the tin, allows access to the Racial Profiling Window in the different modules of ARMS. Simply check the sections you want Racial Profiling to be accessible from.

## Access to Profile Data Window

- CAD
- Case Management
- Citations
- Interviews

### Default Report Viewer Directory

Default Report Viewer Directory allows users to set a file path for any custom reports they might have commissioned. Once the proper directory is keyed in or browsed to, the user should be able to access these reports by going to Tools -> Report Viewer.



## Other

---

Default Report Viewer Directory



## 2.0 Code list

The Code List of the Set Up Menu is where ARMS keeps any codes for your system. Most fields that are a drop-down menu or a yellow field are populated by the codes held in the Code List.

Home / Setup + Add New Search

### Code List

Category: ACCIDENT REPORTING Subcategory: ACCIDENT PROPERTY TYPE

Code	Description	Is Inactive
1	State	NO
2	MDC	NO
3	Municipal	NO
4	Utilities	NO
97	Other	NO
99	Unknown	NO
Test 1	TEST	YES

Found 7 record(s) << < > >>

The Category drop down menu is populated with all the categories of ARMS codes that the Code List is split up by.

Home / Setup

### Code List

Category

- ACCIDENT REPORTING
- ARREST
- CAD
- CASE MANAGEMENT
- CITATIONS
- CLERY
- EVENT TRACKER
- FINANCE
- LOCATION
- M.O. CODES
- MASTER BUSINESS
- MASTER NAME
- MISCELLANEOUS CODES
- NCIC
- NIBRS
- PARKING
- PATROL ACTIVITY
- PHYSICAL DESCRIPTION
- PROCESSING
- PROFILE DATA

Once you have chosen a Category, the Subcategory drop-down menu will be populated with all of the subcategories within the chosen ARMS category.



Subcategory

ACIDENT PROPERTY TYPE

- ACIDENT PROPERTY TYPE
- ACTIONS PRIOR TO CRASH
- AIRBAG STATUS
- AIRBAG SWITCH
- CARGO BODY TYPE
- CARRIER ISSUE AUTHORITY
- CDL ENDORSEMENT
- DRIVER CONTRIBUTING FACTOR
- EJECT CODE
- FIRST HARMFUL EVENT
- FIRST HARMFUL EVENT LOCATION
- GROSS VEHICLE WEIGHT
- HAZMAT PLACARD
- INJURY STATUS
- INTERSTATE
- LICENSE RESTRICTIONS
- LIGHT CONDITIONS
- MANNER OF COLLISION
- MATERIAL 1 DIGIT #
- MEDICAL FACILITY

When you select the subcategory you want, the Code List will be updated to show only the codes that are inside of that category and subcategory.

Code	Description	Is Inactive
1	State	NO
2	MDC	NO
3	Municipal	NO
4	Utilities	NO
97	Other	NO
99	Unknown	NO
Test 1	TEST	YES

Once you have selected a Code, you can add and modify codes. The codes can be personalized by changing the Code and the Code Description. If you would like to stop using a code, we recommend marking that code as inactive.

### Code List

Category: ACCIDENT REPORTING

Code	Description
1	State
2	MDC
3	Municipal
4	Utilities
97	Other
99	Unknown
Test 1	TEST

### Edit List Value

Code: Test 1

Description: TEST

Is Inactive

Cancel Save



If you want to completely delete a code, you will need to use the Find And Replace button (can be found on setup menu) to move anything associated with the code you want to delete into the code replacing it. So if you have a code in the list that you would like to delete, select that code. Then select the Find And Replace button.

Home / Setup

### Find and Replace

Code Category: BEAT

Change From: 1 - 1

Change To: 2 - 2

**Replace**

The Find and Replace List Values pop up window will appear. For the List Values For (Category) – (Subcategory) it will populate with whatever code you have selected that you are wanting to delete. The Change these List Values drop-down menu with be where you select the Code you want to change the deleted code values to.

Home / Setup

### Find and Replace

Code Category: CODE LIST

Category: ACCIDENT REPORTING

Subcategory: ACCIDENT PROPERTY TYPE

Change From: 1 - STATE

Change To: 2 - MDC

**Replace**

There are certain codes in the system that are called "system codes". These system codes will appear **bold** in the code list. The Code and Description can be modified, but they cannot be deleted.

Home / Setup

[+ Add New](#) [Search](#)

### Code List

Category: MASTER NAME

Subcategory: PHONE TYPE

Code	Description	Is Inactive
BAT	BAT PHONE	NO
<b>CPH</b>	<b>Cell Phone</b>	<b>NO</b>
<b>HPH</b>	<b>Home Phone</b>	<b>NO</b>
LOCAL	Local	NO
OFF	Office	NO
<b>WPH</b>	<b>WORK PHONE</b>	<b>NO</b>

There are also some codes that will need more setup than the other codes. One example of this is the Vehicle – Vehicle Model category. You will need to associate the Vehicle Models to a Vehicle Make in the system.

Home / Setup

### Code List

Category: VEHICLE

Code	Description
002	2002 SERIES
100	100
100	100 L JAWNS
100	A 100 COMPACT
100	100 SERIES
100	100
100	PRINZ 1000
100	1100
100	1000 ABE 10000

#### Edit List Value

Code: 002

Description: 2002 SERIES


Make: BNTM - BANTAM

Is Inactive

[Cancel](#) [Save](#)

### 3.0 Find and Replace Code List

The Find And Replace Code List in the Set Up Menu is where you can Find Code values in your system that you no longer want and you can replace them with another code that is in your system. This will let you also Find and Replace Codes that are not found in the Code List section. To do this first select a Code Category.



Home / Setup

#### Find and Replace

Code Category

- BEAT
- CAD AUXILIARY UNIT
- CAD UNIT
- CAD UNIT TYPE
- CODE LIST
- CRIME CODES
- EQUIPMENT
- LOCATION
- NAME GROUP
- OFFICER ACTIVITY CODE
- SITE
- SPONSORING ORGANIZATION
- STREET NAME

Change To

2 - 2

Next you will select the code in the section that you would like to delete and the code in that section you would like to change it to. The code you want to delete will be what you select for the Change From drop-down menu and the code you want it to be replaced with will be for the Change To drop-down menu.



Home / Setup

#### Find and Replace

Code Category

BEAT

Change From

1 - 1

Change To

2 - 2

Replace

Once you have everything chosen correctly and hit the Replace button, you will get the following notification saying that it was successfully replaced.



# 4.0 Crime/Incident Codes

One of the most important parts of the set-up menu, this section allows you to create the Crime/Incident codes used throughout the ARMS system. To get started, select Crime/Incident from the set-up menu

## Navigation

Home / Setup

Export Bulk Edit Add New Search

### Crime Code

Offense Code	UCR Data	Description	Classification
002		Foot Patrol	
0021	99	>=	
02		Foot Patrol	PATROL
03		Fire	PATROL
04	45	Assault-Simple	ASSAULT
05	42	Assault-Aggravated	ASSAULT
06		Administrative Duties	PATROL
07		Alarm - Check	SERVICE
08		Alarm - Response	SERVICE
10		Alarm - Code Blue Activation	SERVICE
11		Adopt-a-COP	SERVICE
12		Court Appearance	PATROL
13		Harrassing Email	COMPUTER CRIME
14		Cyberstalking	COMPUTER CRIME
15		Transport	SERVICE

Once selected, you can use search to find your codes. List will display all your codes in a list format, allowing you to sort them by clicking on the column header. To Modify and edit an existing code simply click on the row. To Add a new code click add new. There are a few system codes (identifiable by their bold font) automatically generated, as they are basic CAD functions like vehicle stop and logon. Any other codes must be entered in manually.

## Basic Info

Home / Setup

Cancel Save

### Edit Crime Code

Offense Code	UCR Data	IBRS Data	Code Section
002			
Hierarchy	Clery Act Data	CAD Open Calls List: Unit Display	NCIC Number
	N/A	N/A Clear	
UCR Offense	Description	Classification	Portal Classification
	Foot Patrol		OI - OTHER INCIDENT
Level of Offense	Police/Fire	Officer Welfare	Call Timer
I	P	0	60
Call Priority	Default for Hold	State Offense Code	
1	0		
Standard Operating Procedure			

To create a crime code, enter in an Offence Code. This should be something short but intuitive so dispatchers can quickly key them in, as this will be how the Code is selected in other parts of ARMS. If applicable, enter in the state penal code for the offence under Code Section. The next required filed is Description; simply enter in a short description of the crime/incident. Classification is an organizational



field that helps structure your crime codes; for example, all assaults would be under the assault classification. You can filter the list using classification for easier code administration. Level of Offence requires you to select from I-Incident, M-Misdemeanor, F-Felony, or O-Other; enter in the letter of the most accurate level of offence for you crime code. The Call Timer field enables you to specify the time interval for officer safety alerts in CAD.

### **SOP**

By selecting "Standard Operating Procedure", the user will be presented with a screen which will allow storage of Dispatcher info, departmental procedures, questions for the reporting party, etc.

Below 'Edit Crime Code':

Standard Operating Procedure

The User can then type in the SOP with the required information needed.

### **UCR Data**

This field will store the UCR Code for the particular incident. It is important that this field has the correct data as it will affect all the department's UCR reports.

### Data Code List

Data Code	Description	Data Code	Description
11	Murder & Non-negligent Manslaughter	45	Other Assault – Simple
12	Manslaughter by Negligence	51	Burglary – Forcible Entry
21	Rape by Force	52	Burglary – No Force Entry
22	Attempts to commit forcible rape	53	Burglary – Attempted Force
31	Robbery – Armed	71	Motor Vehicle Theft - Auto
32	Robbery – Knife	72	Motor Vehicle Theft - Truck Bus
33	Robbery – Dangerous Weapon	73	Motor Vehicle Theft - Other
34	Robbery – Strong Arm		
41	Aggravated Assault – Firearm		
42	Agg. Assault – Knife		
43	Agg. Assault – Dangerous Weapon		
44	Agg Assault –Hands, Fist, Feet		

### Data Code List Part II

Data Code	Description
81	Larceny – Pocket Picking
82	Larceny – Purse Snatch
83	Larceny – Shoplifting 1st
84	Larceny – Taking Items From Auto
85	Larceny – Auto Parts & Accessories
86	Larceny - Bicycles
87	Larceny – From Building
88	Larceny – Coin Operated Machine
89	Larceny – All Other



## Clery Act Data

Home / Setup

+ Add New Search

### Code List

Category: CLERY Subcategory: CLERYACTDATA

Code	Description	Is Inactive
11	Destruction/Damage/Vandalism	NO
12	Larceny	NO
1A	Murder & Non-negligent Manslaughter	NO
1B	Negligent Manslaughter	NO
2A	Rape	NO
2B	Fondling	NO
2C	Incest	NO
2D	Statutory Rape	NO
3	Robbery	NO
4	Aggravated Assault	NO
5	Burglary	NO
6	Motor Vehicle Theft	NO
7	Arson	NO
8	Other Crime - Bodily Injury	NO
9	Simple Assault	NO

This list value field will store the Clery Classification for the incident and is important to reporting correct statistics on the department's yearly Student Right to Know report.

### Display this Crime Code in

Display this crime code in

- Computer Aided Dispatch
- Event Tracker
- Patrol Activity
- Restraining Order
- Criminal Complaint
- Case Management
- Moving Criminal Citations
- Interview
- Racial Profiling
- Arrests
- Parking Citations
- Warrant
- Trespass

The check boxes in this section will decide where this code is available for use.

Example: A code is marked for Computer Aided Dispatch, but not Case Management. This means that a dispatcher can use this code within CAD but an officer will be unable to select this code on a Case Report. In this example, the dispatcher can move faster through CAD by having their own succinct set of codes.



## Crime Code Attributes

### Crime Types

- |   |   |  |
|---|---|--|
| <input type="checkbox"/> Include in Media Log | <input type="checkbox"/> Include in "Right To Know" | <input type="checkbox"/> Call For Service      |
| <input type="checkbox"/> Crime Against Person | <input type="checkbox"/> Crime Against Property     | <input type="checkbox"/> Crime Against Society |
| <input type="checkbox"/> UCR Part 1           | <input type="checkbox"/> UCR Part 2                 | <input type="checkbox"/> Drug Law              |
| <input type="checkbox"/> Liquor Law           | <input type="checkbox"/> "Hate" Crime               | <input type="checkbox"/> Weapon Possession     |
| <input type="checkbox"/> Criminal             | <input type="checkbox"/> Include in Briefing Report | <input type="checkbox"/> Secure Check          |
| <input type="checkbox"/> Active Code          |   |  |

This set of check boxes will describe how this crime code is reported on the various internal and external reports within ARMS.

Include in Media Log	Crime Code will appear in media log type reports
Include in "Right to Know"	Crime Code will appear in Clery Daily Logs
Call For Service	Crime Code will appear in Calls for Server reports
Crime Against Person	Helps to categorize the data for reports
Crime Against Property	Helps to categorize the data for reports
Crime Against Society	Helps to categorize the data for reports
UCR Part 1	Used for UCR Part 1 Audit Reports
UCR Part 2	Used for UCR Part 2 Audit Reports
Drug Law	Crime Code will appear in Clery Arrest Log
Liquor Law	Crime Code will appear in Clery Arrest Log
Weapon Possession	Crime Code will appear in Clery Arrest Log
"Hate" Crimes	Used for non-Clery Hate crime reporting
Criminal	Designate Criminal offences from Incidents/Events/etc
Include in Briefing Report	Crime Code will appear in daily briefing report
Secure Check	Crime Code will be counted as a location/building check
Inactive	Crime Code will no longer appear in ARMS

## 5.0 Geo Files

### General

To get started, select GEO File from the setup code menu. Make use of search and the arrow tabs to navigate through your GEO files. You can either hit Add to create a new Geo file or select Modify to edit. The hide inactive button will filter out all Geo files marked Inactive.

Home / Setup + Add New

### GEO File

Location Code	Common Name	Street Number	Street Name	Suite Number
04	ALUMNI LOWER			
08	BARNARD OBSERVATORY	201	All American Drive	
09	BASEBALL FIELD			
1	ALUMNI LOWER			
1 HR HD	1 HOUR HANDICAP			
10	REBEL DRIVE/MILLER/GUESS			
11	REAR BISHOP			
13	CIRCLE			
14	COLISEUM CIRCLE			
15 MIN	15 MINUTE FORD CENTER			
16	REBEL DRIVE FACULTY/STAFF			
30 MIN LT	30 MINUTE LOT	1234	CROSS STREET	
33	FACULTY HOUSE 33	60		34
40BLKBALT	4000 Block of Baltimore Avenue	4000	BALTIMORE AVE	
40BLKBARG	4000 Block of BARING ST	4000	BARING ST	

1 - 15 of 582 items

### Location Information

The Location Information portion of the General tab contains the basic information of the Geo file like site, beat, location code, and common name. Location Code and Common name are especially important as they are what dispatchers will use to select the Geo file in CAD.

Home / Setup ✕ Cancel


### Edit Location

- General
- Officer Safety
- Security Matrix
- Clery Data
- Haz Materials
- Contact Information
- Photos
- Other Media

Site	Beat	Location Code
<input type="text" value="N/A"/>	<input type="text" value="5 - 5"/>	<input type="text" value="04"/>
Common Name	Location Type	NIBRS Address Type
<input type="text" value="ALUMNI LOWER"/>	<input type="text" value="N/A"/>	<input type="text" value="N/A"/>
Street Number	Street Name	Suite Number
<input type="text"/>	<input type="text" value="N/A"/>	<input type="text"/>
Floor	City	State
<input type="text"/>	<input type="text"/>	<input type="text" value="N/A"/>
Zip	County	Reporting District
<input type="text"/>	<input type="text" value="N/A"/>	<input type="text"/>
Email	Web Address	Display in
<input type="text"/>	<input type="text"/>	<input type="text" value="PARKING ONLY"/>

### Map

The Map allows users to select the Geo files coordinates using Google maps. Click on the mapping icon, and then select your location. Longitude and latitude will be automatically generated for wherever you click.



### Officer Safety

This feature allows users to enter in potential Officer Safety risks and attach them to the location. When a location with an associated Officer Safety alert is used in CAD, a pop-up window will alert the dispatcher to any potential dangers, allowing them to keep Officers on the scene informed. Simply click Add new to add. To modify click on the description to edit and delete records.

Cancel
Save

Add Location Officer Safety
✕

Description:

Map
Cancel
Save

+ Add New

Home / Setup
Cancel
Save

#### Edit Location


General	Last Modified	Last Modified By	Description	Map
<b>Officer Safety</b>	12/26/2019 01:56 PM	master user	TEST	📍

- Security Matrix
- Clery Data
- Haz Materials
- Contact Information
- Photos
- Other Media

+ Add New

**Security Matrix**

This feature, after setting up the codes in the code list, allows users to input security features of the location. Things like pass code gates, key card doors, and security guards. Simply right click to add, edit, or delete them.



**Clery Data**

The available classifications are On Campus, On Campus-in any student residential facility, Non-campus building or property, Non-reportable location, and Public property. These classifications will dictate how incidents occurring at the location are reported in Clery reports. See the description underneath each entry for more information. Click to select your classification.

Cancel Save

**Campus** means:

- any building or property owned or controlled by the institution within the same reasonably contiguous geographic area of the institution
- and issued by the institution in direct support of, or in a manner related to, the institution's educational purposes;
- and property within the same reasonably contiguous geographic area of the institution but controlled by another person,
- and is used by the students,
- and supports institutional purposes.

**Non-Campus building or property** means:

- any building or property owned or controlled by a student organization officially recognized by the institution
- and building or property owned or controlled by the institution that is used in direct support of, or in relation to, the institution's educational purposes
- and is frequently used by students,
- and is NOT within the same reasonably contiguous geographic area of the institution.

**Non-reportable location** means:

All other non-campus locations NOT discussed above

**On Campus - in any student residential facility** means:

Residence halls or other residential facilities for students on campus

**Public Property** means:

- all public property, including thoroughfares, streets, sidewalks, and parking facilities, that are within the campus,
- or immediately adjacent to and accessible from the campus.



*Hazardous Materials Data*

This section allows users to input data on any hazardous materials that could be found on site, like acid or flammables. Just like Officer Safety, any locations with attached hazardous materials will alert the dispatcher when the location is selected. Again, right click to add, edit, and delete.

## Add Hazardous Material



Material

Health

Flammability

Reactivity

Special

Description

Cancel

Save

### *Blue Prints (Pictures/Other Media)*

The Blue Prints tab does just what it says, allows users to upload blue prints for the location. These floor plans could prove useful on the scene, allowing officers to know the layout of building and better plan their actions. Click on the image to modify and add descriptions as necessary. You can delete by clicking on the image then clicking delete.

[Home](#) / [Setup](#)

## Edit Location

General

Officer Safety

Security Matrix


Clery Data

Haz Materials

Contact Information

**Photos**

Other Media





**Contact Information**

Any contacts for the location would go here. Building administrators, owners, tenants, and anyone else associated with the location. Set up the types in miscellaneous codes of the Code List, then select modify and add.

The screenshot shows the 'Edit Location' page in the ARMS system. On the left is a navigation menu with options: General, Officer Safety, Security Matrix, Clery Data, Haz Materials, Contact Information (highlighted), Photos, and Other Media. The main content area is titled 'Add Contact Information' and contains a form with the following fields: Type (dropdown menu with 'N/A' selected), Phone, Last Name, First Name, Business, Building, Room, and Address. There is also a large text area for 'Notes' and a checkbox for 'Is Active'. At the bottom right of the form are 'Cancel' and 'Save' buttons. Below the form is a table of existing contacts:

Type	Phone	Name	Business	Address
Test	228-456-7898	Adams John	End2end	

At the bottom right of the table area is a '+ Add New' button.

**Location Description**

A description of the location, this allows users to enter in any other data about the location. You can enter in physical descriptors as well to help officer identify the location. This text box can be found on the general tab of Geofile at the bottom of the page.



## 6.0 Employee

The Employee File keeps track of the individual employee's in ARMS. Every officer that will be dispatched and every user who will need access to ARMS will need an employee file created. You can click on the Employee to mark as active and dispatchable. Once enabled click save.

Home / Setup

+ Add New  Search

### Employees

Name	Address	Home Phone	Call Number	Id Number
2TEST TEST			2TEST1	2test
2TEST TEST			344444	5555555
AAA AAA			AAA	AAA
ABRAHAM MICHAEL			2TEST	rp1
ACKER SCOTT			ACKER	ACKER
ADAM KOURTLAND			176	00006
Airport Memphis			123MA	446519819
Airport Memphis			123123	49815
AISD ANGLETON			ANGL	angl
ALBERTSON KRISTEN			114	777778
AMU PV			PV5	789654
ANDERSON CANTRELL			1442	1442
ANDERSON TOMMY			303	303
ANDERSON TRISTON			3136	3136
ANDERSON VINCENT			T26	_50026

1 - 15 of 718 items << < > >>

### Employee Fields

Text Field	List Value	Description
Last	No	Text field for the employee's last(family) name
First	No	Text field for the employee's first(given) name
Middle	No	Text field for the employee's middle name
Address	No	The mailing address for the employee
City	No	The city for the employee's address
State	Yes	The state for the employee's address
ZIP	No	The zip code for the employee's address
Home Phone	No	The home phone number of the employee
Cell Phone	No	The cell phone number of the employee
Alt Phone	No	Additional phone number for the employee
Pager Phone	No	The pager number for the employee
Email	No	Employee's email address.
Peace Officer Status	No	Employee status such as active, retired, on leave.

ID Number	No	Department issued identification number for the employee. This does not have to be the call Number
DOB	No	Date of Birth
Blood Type	No	Text field to record blood type of the employee
SSN	No	Text field to record employee Social Security Number
Age	No	Auto generated filed that is set by the DOB filed
DL Number	No	Employee's driver license number
Sex	Yes	
Call Number	No	The call number for the Officer's CAD Unit
Race	Yes	Employee's racial background
Ethnicity	Yes	Employee's ethnicity according to UCR – Hispanic or non Hispanic
Dispatchable	Checkbox	If the Employee is an officer that will be dispatchable
Active	Checkbox	If the Employee is currently a member of the department
Division	Yes	The Employee's division
Department	Yes	The Employee's department
Shift	Yes	The shift the Employee is normally on
Picture	Picture	A picture of the employee

## 7.0 User Access

The User Access allows employees to login ARMS and sets the permissions for ARMS. Before a user access is created there must be an employee file in ARMS for the user.

Home / Setup

[+ Add New](#)
[Clone User Access](#)

### Set User Access

Last Name	First Name	Logon Alias
ADLER	RUFINO	rgabriel
AGUADO	MICHAEL	maguado
ALPERT	CHAD	calpert
BANNER	JAMES	jbanner4
BAUDANZA	RUSSELL	rbaudanza
BENITEZ	JASMINE	jbenitez
BETHEL	RICKEY	rbethel
BLAKELY	SEBRENIA	sblakely
BOLDIN	ULYSSES	uboldin
BOXER	WAYNE	wboxer
BRAMMER	SEAN	sbrammer
BRECHT	NANCY	nbrecht
BRICK	NINA	nbrick
BROOKS	LYSSA	lbrook14
BROWN	AMY	abrown2008

### User Access Fields

Text Field	List Value	Description
ID	No	The ID number of the employee
Last name	No	Last name of the employee. This is auto linked when the ID is entered.
First name	No	First name of the employee. This is auto linked when the ID is entered.
Logon Alias	No	The username the employee will log in to ARMS with. Please note that if you are using active directory you will still need to set the username and password.
Password	No	The password the user will use when they log onto ARMS. Must be 8 characters long and contain a number, symbol, upper case letter, and lower case letter.
Active	Checkbox	Must be checked to allow the user to access ARMS. When a user is no longer active this should be unchecked.
Change Password Every	No	Sets ARMS to automatically prompt the user to change their ARMS password. This is not needed if you are using active directory. The maximum is 90 days
Next Change Date	No	Automatically fills out based on the change password every field.



Currently Logged On	No	Shows if the user is currently using ARMS
Last Logged on	No	Shows the last log on date for the user.
CJIS Username	No	If you are using our NCIC module then you will need to enter the CJIS username the user would log in with
CJIS Password	No	If you are using our NCIC module then you will need to enter the CJIS password the user would log in with
Active Directory User	No	Allows you to set the active directory account to associate with the user access record.

### Setting up the User Access

To set up the User Access you will need to set the employee you wish to add. You can do so by selecting the add button or using the clone function which is explained in more detail in the next section. When you select add you will need to enter the employee ID number. If you do not know what the employee ID number is you can enter? and a list of employees that do not have a User Access record will be displayed. Regardless of if you are using active directory to log into ARMS you will need to set up an ARMS username and password. If you are using an active directory system you can select find user and enter their username to select the correct user.

Important Access Sections

### Setup Menu

Will give user access to the Administrator functions in ARMS.

Common	Permission	Access
Arrests	Vehicle Maintenance	<input type="checkbox"/>
NCIC Queries	Training records	<input type="checkbox"/>
Mobile Report Writer	Reports	<input checked="" type="checkbox"/>
CAD	Lists Menu	<input checked="" type="checkbox"/>
Incident Set	Employee File from Lists	<input type="checkbox"/>
BOLO	Query Menu	<input checked="" type="checkbox"/>
Case Management	Setup Menu	<input type="checkbox"/>
Follow Up		
Supplementary	Application Settings	<input type="checkbox"/>

### Juvenile, Sex Offense, and Confidential

These settings give the user access to any cases that have been marked with these permissions.

Juvenile Records	<input type="checkbox"/>
Sex Offense Records	<input type="checkbox"/>
Confidential Records	<input type="checkbox"/>



### CAD

Gives the user access to the dispatch portion of ARMS. Please note that there are additional permissions that are set by clicking on the CAD button.

Currently Logged On

Permission	Access	Add	Modify	Delete
CAD	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Print Shift Report	<input checked="" type="checkbox"/>			
CAD Preference	<input checked="" type="checkbox"/>			
Modify CAD Date/Time	<input type="checkbox"/>			
Modify Logon/Logoff	<input type="checkbox"/>			

### Case Management

Gives the user access to case management and allows the user to fill out and submit case reports. Please note that the highlighted permissions allow the user to access the approval management module in ARMS.

Currently Logged On

Permission	Access	Add	Modify	Delete
Case Management	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Involved Parties	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Add Property	<input checked="" type="checkbox"/>			
Add Vehicles	<input checked="" type="checkbox"/>			
Add UCR Statistics	<input type="checkbox"/>			
Add Unknown Suspects	<input checked="" type="checkbox"/>			
Add Assign to Investigation	<input type="checkbox"/>			
Print Case Full	<input checked="" type="checkbox"/>			
Print Case Selective	<input checked="" type="checkbox"/>			
Can Submit for Approval	<input checked="" type="checkbox"/>			
Can Approve and Kick Back	<input type="checkbox"/>			
Can Final Approve	<input type="checkbox"/>			
Can Modify After Approval	<input type="checkbox"/>			
Can Modify Other Cases	<input type="checkbox"/>			
Can Modify Status and Disposition	<input type="checkbox"/>			
Can Export Data To CSV	<input type="checkbox"/>			

## 8.0 Cloning

When creating a user access, you may already have a user that has the exact permissions you would like to use. Rather than selecting all the permissions you can use the clone function to copy all their user access permissions to the new employee. Please note that if you are using an active directory system you will need to remove the active directory user you are cloning from. Also note that you can only clone the




access for new employees. If you have already created the User Access, you will be unable to use the clone function to set the permissions.



### Cloning from a standard user

To clone from a user first find the user you would like to clone from. If they have a directory account set temporarily remove it to prevent any odd behaviors.

Once you have selected the user account and clone current user a list will be generated for all active employees that do not have a user access. Select the user from this list and set their username and password.





Once you have set the username and password click save. If you would like to set up the directory user you can do so before saving.

## Clone User Access ×

Clone From

 ✕ Clear ▼

Clone To

 ✕ Clear ▼Cancel Clone

### Setting up a template for employee types

You can also set up templates so that when new employees are hired you can clone from a general user access.

- To set up the template create a template employee and set them to active.
- If there is already a user, you would like to use as a template you can clone from their user access to set up the initial permissions.
- Uncheck the active check box in the employee file and the user access file of the template.

You will now have a general template that you can use for the cloning that you will not have to remove the user access from.

# 9.0 Officer Activity

Officer Activity codes are the codes used by dispatchers to denote officer activity during CAD events. The basic system codes will already be set up and available for use; these system codes are denoted by an exclamation point icon and bolded font in the list.

Home / Setup + Add New

### Officer Activity Codes

Code	Description	Is Active	Stamp Times
15	Contract Detail	YES	NO
AC	ASSIGNED CALL	YES	NO
BL	Blue Light Check	YES	NO
BU	Back Up	YES	NO
EOW	End Of Watch	YES	YES
FU	Follow Up	YES	NO
NA	Not Assigned	YES	NO
OI	OFFICER INITIATED	YES	YES
OnDuty	On Duty Officer for Shift LogOn	YES	YES
RA	Reassigned Call	YES	NO
SC	Security Check	YES	NO
VEHST	Vehicle Stop	YES	YES
ZREA	REASSIGN	NO	YES
ZSUSP	Jumped Call	NO	NO

Users can add tertiary codes like Building Check, Backup/Assist, or Foot Patrol by using the command menu. If a code is no longer needed, you can check the Inactive box to deactivate it. The Stamp Times option will fill in the enroute and arrived fields of CAD automatically when selected.

## Edit Officer Activity Code ✕

---

Code

Description

Is Active

Stamp Times


---

# 10.0 CAD Unit Type

This V3 feature allows you to better organize your CAD units by setting up unit types for them. These can include police, bikes, K9 officers and other special units. To get started, install the set-up code menu and select CAD Unit Type from the Set-Up menu. You can use the Add New button to add a new unit type or click on the unit type to make changes to an existing unit. When you have finished with the record, save to close it.



Click the Unit Type to add an image to the unit type; this image will be visible in CAD and helps better distinguish between the unit types.



# 11.0 CAD Units

The CAD Units window allows you to create a unit, plus define default association between the unit, one or more employees and one or more vehicles if needed. You can get here by going to the Set Up, then click CAD Units. When adding a new unit, input the desired Code, Description, Unit Type, and Department. Be sure the unit is checked as active if you want to dispatch it. The unit code must be a unique value, no duplicate or single digit codes are allowed.

Home / Setup ✕ Cancel **Save**

### Edit CAD Unit

Code:  Description: DANIELS ROBERT J

CAD Unit Type: N/A Department: N/A

Is Active

Vehicles: N/A ✕ Clear ▼

Employees: N/A ✕ Clear ▼

Call Number: ✕

Officer:

Vehicle: N/A ▼

When associating an Employee or Vehicle to a unit you must be in edit mode, click on the Available Employee or Available Vehicle record you want to be associated, they will then appear as above, in the Associated fields. To remove an association, you must click the 'x' button at the bottom of the screen that is associated to the vehicle or employee. It will then move back to the available list.

Home / Setup ✕ Cancel **Save**

### Edit CAD Unit

Code:  Description: test

CAD Unit Type: N/A Department: N/A

Is Active

Vehicles: N/A ✕ Clear ▼

Employees: N/A ✕ Clear ▼

Call Number: ✕


Officer:

Vehicle: N/A ▼

Save your entry when complete. If changes are not in CAD refresh your screen. If the new units still do not appear, please log out and log back in.

## 12.0 Dictionaries Synchronization

In the System Defaults section of the Set-Up Menu you can click the Dictionaries Synchronization button. This button will let you synchronize some of your codes in the Code list to match the universal NCIC codes.



Once you are on this page you can then sync your dictionaries accordingly. In order to update on the web client, you will need to follow the thick client instructions on enabling the Dictionaries synchronization feature. This information can be obtained by End2End Support.

### Code List Synchronization

List	Update Status	
Vehicle Color	Updating is not required	<a href="#">Update</a>
Vehicle Make	Updating is not required	<a href="#">Update</a>
Vehicle Make Model	Update is available	<a href="#">Update</a>
Additional Justifiable Homicide Circumstance	Update is available	<a href="#">Update</a>
Aggravated Assault/Homicide Circumstances	Update is available	<a href="#">Update</a>
Bias Motivation	Update is available	<a href="#">Update</a>
Cleared Exceptionally	Update is available	<a href="#">Update</a>
Disposition of Arrestee Under	Updating is not required	<a href="#">Update</a>

When you select the Update button for whichever codes you would like to update, it will update and if there are any conflicts, the Conflicts Resolving page will pop up. This page will show you any codes that are similar to the NCIC standardized codes, but not exact, and shows what the NCIC standard code that is similar to that code is. You can choose to create a new code and keep the existing code Active, create new code and make the existing code Inactive, update the existing code, or go through each code manually here and decide one by one.

# Conflict resolving



**Number of Conflicts: 21**

Listed below, you will find every code in your system that could be matched to one in the standardized list but is altered in some way.

By default, each of these codes will be updated to the appropriate value. If you would like to instead keep the old code in your system and inactive, select the Keep Duplicate checkbox beside that code.

Conflict Description	Keep Duplicate
Code: 01, Description: 'air/ bus/ train terminal' -> 'AIR/BUS/TRAIN TERMINAL'	<input type="checkbox"/>
Code: 02, Description: 'bank/ savings' -> 'BANK/SAVINGS AND LOAN'	<input type="checkbox"/>
Code: 03, Description: 'bar/ night club' -> 'BAR/NIGHTCLUB'	<input type="checkbox"/>
Code: 04, Description: 'church/ synagogue/ temple' -> 'CHURCH/SYNAGOGUE/TEMPLE'	<input type="checkbox"/>
Code: 05, Description: 'commercial/ office bldg.' -> 'COMMERCIAL/OFFICE BUILDING'	<input type="checkbox"/>
Code: 08, Description: 'discount/ department store' -> 'DEPARTMENT/DISCOUNT STORE'	<input type="checkbox"/>
Code: 09, Description: 'drugstore/ medical bldg.' -> 'DRUG STORE/DR OFFICE/HOSPITAL'	<input type="checkbox"/>
Code: 10, Description: 'field/ woods' -> 'FIELD/WOODS'	<input type="checkbox"/>
Code: 11, Description: 'government/ public bldg.' -> 'GOVT/PUBLIC BUILDING'	<input type="checkbox"/>

Cancel

Save

When you click save you will have to go through the list and select whether you would like to update the code, make it inactive, or leave it as is.



# Extraneous Codes



Listed below, you will find every code in your system that could not be matched to one in the standardized list.

For each code, select an appropriate code from the standardized list to update it to using the dropdown beside it.

Once you have manually chosen the changes you'd like to make, you may select Mark Remaining as Default to assign the rest of the codes to Default.

Default Code:

Mark Remaining as Default

Clear New Codes

Old Code	New Code
22 - school/ college	<input type="text"/>

Cancel

Save

After clicking OK you will be brought to another Conflict Resolving page that shows any codes that are not similar to any NCIC standard codes. Here you can choose to keep the existing codes Active, make the existing codes Inactive, or go through each code manually here and decide one by one.



# Extraneous Codes



Listed below, you will find every code in your system that could not be matched to one in the standardized list.

For each code, select an appropriate code from the standardized list to update it to using the dropdown beside it.

Once you have manually chosen the changes you'd like to make, you may select Mark Remaining as Default to assign the rest of the codes to Default.

Default Code:

Mark Remaining as Default

Clear New Codes

Old Code	New Code
22 - school/ college	52 - SCHOOL/COLLEGE OR UNIVERSITY

Cancel Save

Afterwards an Attention page will pop up making sure you are ready to begin the synchronization.

# Dictionary Synchronization

Application is ready to perform update of old codes. If you would like to print update report click "Print Report" button. Click "Run Update" button to start.

Print Report

Run Update Cancel



After the updating process is done you will get another message letting your know it is complete.

LEOKA Assignment Type	Update is available	<a href="#">Update</a>
LEOKA Incident Type	U Dictionary Synchronization	<a href="#">Update</a>
Location Type	U Updating is completed	<a href="#">Update</a>
Multi-Arrest Segment Indicator	Update is available	<a href="#">Update</a>
Property Description	Update is available	<a href="#">Update</a>

You can now do any other Dictionary Synchronizations and you can even select the Updates only button at the top to show you which Dictionaries have not been updated.

Home / Setup  
Code List Synchronization

[Refresh](#) [Show Updates Only](#)